

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001
Report No.: CN24P2PD 001
Holder: Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
Zhejiang
P.R. China
Product: PV Module

Type designation listed on the next page

The certificate of conformity refers to the above-mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned on the next page. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date: 2025-03-25

Certification Body



Angela Yao



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE


of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
Max. system voltage: up to 1500 VDC (Voc at STC):
With 1/2 cut mono bifacial c-Si cells:
DMxxxM10T-B78HSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78HST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78HBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78HBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78HBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B72HSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72HST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72HBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72HBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72HBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B66HSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66HST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66HBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66HBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66HBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
DMxxxM10T-B60HSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HSW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HST-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBT-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60HBB-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B54HSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54HST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

© TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation

DMxxxM10T-B54HBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)

DMxxxM10T-B32HBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)

DMxxxM10T-B30HBW (xxx=235-250, in steps of 5, 60 cells, Pmax@BNPI=244-260)

GHxxxM10T-B78HSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B72HSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)


GHxxxM10T-B72HST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B66HSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10T-B66HST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B66HBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B66HBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B66HBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B60HSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HSW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HST-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBT-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B60HBB-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B54HSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE


of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10T-B54HBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54HBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B48HST (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=396-440)
GHxxxM10T-B44HST (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=363-402)
GHxxxM10T-B40HST (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=330-363)
GHxxxM10T-B36HST (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
GHxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
GHxxxM10T-B32HSW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32HST (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32HBW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32HBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32HBB (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
PW54M10-BB xxx (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10RT-B60HSW (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HST (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBW (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBT (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBB (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HSW-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HST-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBW-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBT-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60HBB-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B54HSW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HST (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBT (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBB (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HSW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
DMxxxM10RT-B54HST-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBT-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54HBB-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B32HSW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxM10RT-B32HST (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxM10RT-B32HBW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxM10RT-B32HBT (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxM10RT-B32HBB (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxM10RT-B30HBW (xxx=240-255, in steps of 5, 60 cells, Pmax@BNPI=250-265)
DMxxxM10RT-B27HBW (xxx=225-231, in steps of 1, 54 cells, Pmax@BNPI=246-253)
GHxxxM10RT-B60HSW (xxx=475-515 in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HST (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBW (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBT (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBB (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HSW-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10RT-B60HST-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBW-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBT-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60HBB-L (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B54HSW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HST (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBT (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBB (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HSW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HST-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBT-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54HBB-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B32HSW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
GHxxxM10RT-B32HST (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
GHxxxM10RT-B32HBW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001


Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification:

Type Designation

GHxxxM10RT-B32HBT (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
GHxxxM10RT-B32HBB (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=281-297)
DMxxxG12RT-B66HSW (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
DMxxxG12RT-B66HST (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
DMxxxG12RT-B66HBW (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
DMxxxG12RT-B66HBT (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
DMxxxG12RT-B66HBB (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
DMxxxG12RT-B54HSW (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
DMxxxG12RT-B54HST (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
DMxxxG12RT-B54HBW (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
DMxxxG12RT-B54HBT (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
DMxxxG12RT-B54HBB (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
DMxxxG12RT-B48HSW (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
DMxxxG12RT-B48HST (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
DMxxxG12RT-B48HBW (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
DMxxxG12RT-B48HBT (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
DMxxxG12RT-B48HBB (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxG12RT-B66HSW (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
GHxxxG12RT-B66HST (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
GHxxxG12RT-B66HBW (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
GHxxxG12RT-B66HBT (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
GHxxxG12RT-B66HBB (xxx=590-625, in steps of 5, 132 cells, Pmax@BNPI=649-691)
GHxxxG12RT-B54HSW (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
GHxxxG12RT-B54HST (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
GHxxxG12RT-B54HBW (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
GHxxxG12RT-B54HBT (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
GHxxxG12RT-B54HBB (xxx=485-510, in steps of 5, 108 cells, Pmax@BNPI=536-564)
GHxxxG12RT-B48HSW (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
GHxxxG12RT-B48HST (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
GHxxxG12RT-B48HBW (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
GHxxxG12RT-B48HBT (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
GHxxxG12RT-B48HBB (xxx=435-455, in steps of 5, 96 cells, Pmax@BNPI=481-503)
DMxxxG12T-B66HSW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
DMxxxG12T-B66HST (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE


of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
DMxxxG12T-B66HBW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
DMxxxG12T-B66HBT (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
DMxxxG12T-B66HBB (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
GHxxxG12T-B66HSW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
GHxxxG12T-B66HST (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
GHxxxG12T-B66HBW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
GHxxxG12T-B66HBT (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
GHxxxG12T-B66HBB (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
DMxxxM10T-B78ZSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78ZST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78ZBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78ZBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B78ZBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
DMxxxM10T-B72ZSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72ZST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72ZBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B72ZBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity


Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation

DMxxxM10T-B72ZBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
DMxxxM10T-B66ZSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66ZST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66ZBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66ZBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B66ZBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
DMxxxM10T-B60ZSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60ZST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60ZBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60ZBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B60ZBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
DMxxxM10T-B54ZSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
DMxxxM10T-B54ZST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B54ZBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
DMxxxM10T-B36ZSW (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
DMxxxM10T-B36ZBW (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
DMxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
DMxxxM10T-B32ZSW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
DMxxxM10T-B32ZBW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
DMxxxM10T-B32ZBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B78ZST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
GHxxxM10T-B78ZBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
GHxxxM10T-B72ZST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
GHxxxM10T-B72ZBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
GHxxxM10T-B66ZST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B66ZBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
GHxxxM10T-B60ZST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE


of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10T-B60ZBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
GHxxxM10T-B54ZST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B54ZBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
GHxxxM10T-B48ZST (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=396-440)
GHxxxM10T-B48ZST-L (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=396-440)
GHxxxM10T-B44ZST (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=363-402)
GHxxxM10T-B40ZST (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=330-363)
GHxxxM10T-B36ZST (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
GHxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
GHxxxM10T-B36ZBB (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=297-330)
GHxxxM10T-B32ZST (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32ZBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
GHxxxM10T-B32ZBB (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=275-292)
DMxxxM10RT-B60ZSW (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60ZST (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60ZBW (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B60ZBT (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification:

Type Designation

DMxxxM10RT-B60ZBB (xxx=475-515, in steps of 5, 120 cells, Pmax@BNPI=525-568)
DMxxxM10RT-B54ZSW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZST (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBW (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBT (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBB (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZSW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZST-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBW-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBT-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
DMxxxM10RT-B54ZBB-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B60ZST (xxx=475-515 in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B60ZBT (xxx=475-515 in steps of 5, 120 cells, Pmax@BNPI=525-568)
GHxxxM10RT-B54ZST (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54ZBT (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54ZST-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)
GHxxxM10RT-B54ZBT-L (xxx=425-460, in steps of 5, 108 cells, Pmax@BNPI=470-508)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10RT-B48ZST (xxx=380-410, in steps of 5, 96 cells, Pmax@BNPI=418-451)
DMxxxM10RT-B78DSW (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)
DMxxxM10RT-B78DST (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)
DMxxxM10RT-B78DBW (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)
DMxxxM10RT-B78DBT (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)
DMxxxM10RT-B78DBB (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)
DMxxxM10RT-B72DSW (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
DMxxxM10RT-B72DST (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
DMxxxM10RT-B72DBW (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
DMxxxM10RT-B72DBT (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
DMxxxM10RT-B72DBB (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
DMxxxM10RT-B66DSW (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
DMxxxM10RT-B66DST (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
DMxxxM10RT-B66DBW (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
DMxxxM10RT-B66DBT (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
DMxxxM10RT-B66DBB (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
DMxxxM10RT-B60DSW (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification:

Type Designation

DMxxxM10RT-B60DST (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
DMxxxM10RT-B60DBW (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
DMxxxM10RT-B60DBT (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
DMxxxM10RT-B60DBB (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
DMxxxM10RT-B54DSW (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DST (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBW (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBT (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBB (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DSW-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DST-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBW-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBT-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B54DBB-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
DMxxxM10RT-B36DSW (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)
DMxxxM10RT-B36DBW (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)
DMxxxM10RT-B36DBT (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001


Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification:

Type Designation

DMxxxM10RT-B32DSW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)
DMxxxM10RT-B32DBW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)
DMxxxM10RT-B32DBT (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)
DMxxxM10T-G78HSW (xxx=590-650, in steps of 5, 156 cells)
DMxxxM10T-G78HBW (xxx=590-650, in steps of 5, 156 cells)
DMxxxM10T-G78HBB (xxx=590-650, in steps of 5, 156 cells)
DMxxxM10T-G72HSW (xxx=535-600, in steps of 5, 144 cells)
DMxxxM10T-G72HBW (xxx=535-600, in steps of 5, 144 cells)
DMxxxM10T-G72HBB (xxx=535-600, in steps of 5, 144 cells)
DMxxxM10T-G66HSW (xxx=500-550, in steps of 5, 132 cells)
DMxxxM10T-G66HBW (xxx=500-550, in steps of 5, 132 cells)
DMxxxM10T-G66HBB (xxx=500-550, in steps of 5, 132 cells)
DMxxxM10T-G60HSW (xxx=450-500, in steps of 5, 120 cells)
DMxxxM10T-G60HBW (xxx=450-500, in steps of 5, 120 cells)
DMxxxM10T-G60HBB (xxx=450-500, in steps of 5, 120 cells)
DMxxxM10T-G54HSW (xxx=405-450, in steps of 5, 108 cells)
DMxxxM10T-G54HBW (xxx=405-450, in steps of 5, 108 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE


of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
DMxxxM10T-G54HBB (xxx=405-450, in steps of 5, 108 cells)
DMxxxM10T-G54HSW-L (xxx=405-450, in steps of 5, 108 cells)
DMxxxM10T-G54HBW-L (xxx=405-450, in steps of 5, 108 cells)
DMxxxM10T-G54HBB-L (xxx=405-450, in steps of 5, 108 cells)
DMxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
DMxxxM10T-G32HBB (xxx=250-265, in steps of 5, 64 cells)
GHxxxM10T-G72HSW (xxx=535-600, in steps of 5, 144 cells)
GHxxxM10T-G72HBW (xxx=535-600, in steps of 5, 144 cells)
GHxxxM10T-G72HBB (xxx=535-600, in steps of 5, 144 cells)
GHxxxM10T-G66HSW (xxx=500-550, in steps of 5, 132 cells)
GHxxxM10T-G66HBW (xxx=500-550, in steps of 5, 132 cells)
GHxxxM10T-G66HBB (xxx=500-550, in steps of 5, 132 cells)
GHxxxM10T-G60HSW (xxx=450-500, in steps of 5, 120 cells)
GHxxxM10T-G60HBW (xxx=450-500, in steps of 5, 120 cells)
GHxxxM10T-G60HBB (xxx=450-500, in steps of 5, 120 cells)
GHxxxM10T-G54HSW (xxx=405-450, in steps of 5, 108 cells)
GHxxxM10T-G54HBW (xxx=405-450, in steps of 5, 108 cells)
GHxxxM10T-G54HBB (xxx=405-450, in steps of 5, 108 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

© TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification:

Type Designation

GHxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
GHxxxM10T-G32HSW (xxx=250-265, in steps of 5, 64 cells)
GHxxxM10T-G32HBW (xxx=250-265, in steps of 5, 64 cells)
GHxxxM10T-G32HBB (xxx=250-265, in steps of 5, 64 cells)
DMxxxM10RT-G54HSW (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G54HBW (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G54HBB (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G54HSW-L (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G54HBW-L (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G54HBB-L (xxx=425-460, in steps of 5, 108 cells)
DMxxxM10RT-G32HSW (xxx=255-270, in steps of 5, 64 cells)
DMxxxM10RT-G32HBW (xxx=255-270, in steps of 5, 64 cells)
DMxxxM10RT-G32HBB (xxx=255-270, in steps of 5, 64 cells)
DMxxxM10RT-G27HBW (xxx=225-231, in steps of 5, 54 cells)
GHxxxM10RT-G54HSW (xxx=425-460, in steps of 5, 108 cells)
GHxxxM10RT-G54HBW (xxx=425-460, in steps of 5, 108 cells)
GHxxxM10RT-G54HBB (xxx=425-460, in steps of 5, 108 cells)
GHxxxM10RT-G32HSW (xxx=255-270, in steps of 5, 64 cells)
GHxxxM10RT-G32HBW (xxx=255-270, in steps of 5, 64 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

© TÜV, TÜV and TUV are registered trademarks. Utilisation and application requires prior approval.

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
GHxxxM10RT-G32HBB (xxx=255-270, in steps of 5, 64 cells)
DMxxxG12RT-G66HSW (xxx=590-625, in steps of 5, 132 cells)
DMxxxG12RT-G66HBW (xxx=590-625, in steps of 5, 132 cells)
DMxxxG12RT-G66HBB (xxx=590-625, in steps of 5, 132 cells)
DMxxxG12RT-G54HSW (xxx=485-510, in steps of 5, 108 cells)
DMxxxG12RT-G54HBW (xxx=485-510, in steps of 5, 108 cells)
DMxxxG12RT-G54HBB (xxx=485-510, in steps of 5, 108 cells)
GHxxxG12RT-G66HSW (xxx=590-625, in steps of 5, 132 cells)
GHxxxG12RT-G66HBW (xxx=590-625, in steps of 5, 132 cells)
GHxxxG12RT-G66HBB (xxx=590-625, in steps of 5, 132 cells)
GHxxxG12RT-G54HSW (xxx=485-510, in steps of 5, 108 cells)
GHxxxG12RT-G54HBW (xxx=485-510, in steps of 5, 108 cells)
GHxxxG12RT-G54HBB (xxx=485-510, in steps of 5, 108 cells)
DMxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
DMxxxM10T-G32ZBB (xxx=250-265, in steps of 5, 64 cells)
GHxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
GHxxxM10T-G32ZBB (xxx=250-265, in steps of 5, 64 cells)
DMxxxM10RT-G36DBB (xxx=285-300, in steps of 5, 72 cells)
DMxxxM10RT-G32DBB (xxx=255-270, in steps of 5, 64 cells)

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50669860 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation
xxx represents output power in Wp

Remark :
- Test performed with Test Method 6.

Conditions:
The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg