

Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50603275 0006

Berichtsnummer Report No.:

CN23ASBT 025

Genehmigungsinhaber License Holder:

Hengdian Group DMEGC Magnetics

Co., Ltd.

Hengdian Industrial Zone

Dongyang City

Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

7 Fertigungsstätten auf Folgeseiten

Listing of 7 factories on following pages
Prüfzeichen Test Mark:

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report.

Gültig bis:

2029-09-28

Date of expiry:
Gültig ab:

2025-06-19

Valid from:
Zertifizierungsstelle:
Certification body:

Ausstellungsdatum:

2025-06-19

Date of issue:

Angela Yao

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

Max. system voltage: up to 1500 VDC (Voc at STC):

With 1/2 cut mono bifacial c-Si cells:

DMxxxM10T-B78HSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HSW-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HST-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBW-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBT-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B78HBB-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

DMxxxM10T-B72HSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HSW-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HST-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBW-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBT-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B72HBB-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

DMxxxM10T-B66HSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HSW-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HST-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HBW-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10T-B66HBT-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B66HBB-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

DMxxxM10T-B60HSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HSW-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HST-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBW-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBT-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBB-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HSW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HST-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBT-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBB-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HSW-LP (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HST-LP (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBW-LP (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBT-LP (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B60HBB-LP (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

DMxxxM10T-B54HSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

Utilisation n and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10T-B54HBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HSW-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HST-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBW-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBT-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBB-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HSW-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HST-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBW-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBT-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54HBB-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)

DMxxxM10T-B32HBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)

DMxxxM10T-B30HBW (xxx=235-250, in steps of 5, 60 cells, Pmax@BNPI=244-260)

GHxxxM10T-B78HSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78HBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B72HSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72HBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)


GHxxxM10T-B66HSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66HST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66HBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66HBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66HBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxM10T-B60HSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HSW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HST-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBW-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBT-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B60HBB-L (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 GHxxxM10T-B54HSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54HBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B48HST (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B44HST (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=365-403)
 GHxxxM10T-B40HST (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=332-365)
 GHxxxM10T-B36HST (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B32HSW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32HST (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32HBW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32HBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32HBB (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B78HSW-C (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 GHxxxM10T-B78HST-C (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 GHxxxM10T-B66HSW-C (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 GHxxxM10T-B66HST-C (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

© TÜV. TÜV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxM10T-B48HSW-C (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48HST-C (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B44HST-C (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=365-403)
 GHxxxM10T-B40HST-C (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=332-365)
 GHxxxM10T-B36HST-C (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B32HST-C (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 PW54M10-BB xxx (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B78ZSW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBW (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBB (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZSW-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZST-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBW-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBT-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B78ZBB-P (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)
 DMxxxM10T-B72ZSW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBW (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBB (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZSW-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZST-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBW-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBT-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B72ZBB-P (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)
 DMxxxM10T-B66ZSW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

© TÜV. TÜV and TUV are registered trademarks. Utilisation n and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10T-B66ZST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBW (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBB (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZSW-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZST-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBW-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBT-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B66ZBB-P (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)
 DMxxxM10T-B60ZSW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBW (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBB (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZSW-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZST-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBW-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBT-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B60ZBB-P (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)
 DMxxxM10T-B54ZSW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBW (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBB (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZSW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZST-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBW-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBT-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZBB-L (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZSW-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 DMxxxM10T-B54ZST-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

TÜV, TÜV and TÜV are registered trademarks. Certification and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell Type:

Bezeichnung *Designation:*

DMxxxM10T-B54ZBW-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54ZBT-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54ZBB-P (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54ZSW-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B54ZST-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

```
DMxxxM10T-B54ZBW-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
```

```
DMxxxM10T-B54ZBT-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
```

DMxxxM10T-B54ZBB-LP (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

DMxxxM10T-B36ZSW (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)

DMxxxM10T-B36ZBW (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)

DMxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)

DMxxxM10T-B32ZSW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)

DMxxxM10T-B32ZBW (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)

DMxxxM10T-B32ZBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)

GHxxxM10T-B78ZST (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78ZBT (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78ZSW-C (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B78ZST-C (xxx=590-650, in steps of 5, 156 cells, Pmax@BNPI=652-716.5)

GHxxxM10T-B72ZST (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72ZBT (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72ZSW-C (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B72ZST-C (xxx=535-600, in steps of 5, 144 cells, Pmax@BNPI=591-663)

GHxxxM10T-B66ZST (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66ZBT (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66ZSW-C (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B66ZST-C (xxx=500-550, in steps of 5, 132 cells, Pmax@BNPI=553-608)

GHxxxM10T-B60ZST (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

GHxxxM10T-B60ZBT (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553

GHxxxM10T-B60ZSW-C (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

GHxxxM10T-B60ZST-C (xxx=450-500, in steps of 5, 120 cells, Pmax@BNPI=497-553)

GHxxxM10T-B54ZST (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxM10T-B54ZBT (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54ZSW-C (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B54ZST-C (xxx=405-450, in steps of 5, 108 cells, Pmax@BNPI=448-497)
 GHxxxM10T-B48ZST (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48ZST-L (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48ZSW-C (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48ZST-C (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48ZSW-LC (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B48ZST-LC (xxx=360-400, in steps of 5, 96 cells, Pmax@BNPI=398-442)
 GHxxxM10T-B44ZST (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=365-403)
 GHxxxM10T-B44ZST-C (xxx=330-365, in steps of 5, 88 cells, Pmax@BNPI=365-403)
 GHxxxM10T-B40ZST (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=332-365)
 GHxxxM10T-B40ZST-C (xxx=300-330, in steps of 5, 80 cells, Pmax@BNPI=332-365)
 GHxxxM10T-B36ZST (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36ZBB (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36ZSW-C (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36ZST-C (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B36ZSW-LC (xxx=270-300, in steps of 5, 72 cells, Pmax@BNPI=298-332)
 GHxxxM10T-B32ZST (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32ZBT (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32ZBB (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32ZSW-C (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32ZST-C (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 GHxxxM10T-B32ZSW-LC (xxx=250-265, in steps of 5, 64 cells, Pmax@BNPI=276-293)
 DMxxxM10RT-B72HSW (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HST (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HBW (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HBT (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)

© TÜV. TÜV and TÜV are registered trademarks. Utilisation n and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B72HBB (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HSW-P (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HST-P (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HBW-P (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HBT-P (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B72HBB-P (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 DMxxxM10RT-B60HSW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HST (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBT (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBB (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HSW-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HST-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBW-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBT-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBB-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HSW-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HST-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBW-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBT-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBB-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HSW-LP (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HST-LP (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60HBW-LP (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B60HBT-LP (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

DMxxxM10RT-B60HBB-LP (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

DMxxxM10RT-B54HSW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HST (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBT (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBB (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HSW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HST-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBT-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBB-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HSW-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HST-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBW-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBT-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBB-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HSW-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HST-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBW-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBT-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54HBB-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B32HSW (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)

DMxxxM10RT-B32HST (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)

DMxxxM10RT-B32HBW (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)

DMxxxM10RT-B32HBT (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)

DMxxxM10RT-B32HBB (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B30HBW (xxx=240-260, in steps of 5, 60 cells, Pmax@BNPI=250-270)
 DMxxxM10RT-B27HBW (xxx=225-234, in steps of 1, 54 cells, Pmax@BNPI=246-256)
 GHxxxM10RT-B72HSW (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 GHxxxM10RT-B72HST (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 GHxxxM10RT-B72HBW (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 GHxxxM10RT-B72HBT (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 GHxxxM10RT-B72HBB (xxx=590-625, in steps of 5, 144 cells, Pmax@BNPI=652-691)
 GHxxxM10RT-B60HSW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HST (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBT (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBB (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HSW-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HST-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBW-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBT-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B60HBB-L (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 GHxxxM10RT-B54HSW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HST (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HBW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HBT (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HBB (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HSW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HST-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HBW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

© TÜV. TÜV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxM10RT-B54HBT-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B54HBB-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 GHxxxM10RT-B48HSW-C (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)
 GHxxxM10RT-B48HST-C (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)
 GHxxxM10RT-B40HSW-C (xxx=315-345, in steps of 5, 80 cells, Pmax@BNPI=349-382)
 GHxxxM10RT-B40HST-C (xxx=315-345, in steps of 5, 80 cells, Pmax@BNPI=349-382)
 GHxxxM10RT-B32HSW (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)
 GHxxxM10RT-B32HST (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)
 GHxxxM10RT-B32HBW (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)
 GHxxxM10RT-B32HBT (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)
 GHxxxM10RT-B32HBB (xxx=255-275, in steps of 5, 64 cells, Pmax@BNPI=282-304)
 DMxxxM10RT-B60ZSW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZST (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBW (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBT (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBB (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZSW-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZST-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBW-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBT-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B60ZBB-P (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)
 DMxxxM10RT-B54ZSW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 DMxxxM10RT-B54ZST (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 DMxxxM10RT-B54ZBW (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 DMxxxM10RT-B54ZBT (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 DMxxxM10RT-B54ZBB (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)
 DMxxxM10RT-B54ZSW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

© TÜV, TÜV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B54ZST-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBW-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBT-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBB-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZSW-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZST-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBW-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBT-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBB-P (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZSW-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZST-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBW-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBT-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

DMxxxM10RT-B54ZBB-LP (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B60ZST (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

GHxxxM10RT-B60ZBT (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

GHxxxM10RT-B60ZSW-C (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

GHxxxM10RT-B60ZST-C (xxx=475-520, in steps of 5, 120 cells, Pmax@BNPI=525-575)

GHxxxM10RT-B54ZST (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZBT (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZST-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZBT-L (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZSW-C (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZST-C (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

© TÜV. TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxM10RT-B54ZSW-LC (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B54ZST-LC (xxx=425-465, in steps of 5, 108 cells, Pmax@BNPI=470-514)

GHxxxM10RT-B48ZST (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)

GHxxxM10RT-B48ZSW-C (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)

GHxxxM10RT-B48ZST-C (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)

GHxxxM10RT-B48ZSW-LC (xxx=380-415, in steps of 5, 96 cells, Pmax@BNPI=420-459)

DMxxxM10RT-B78DSW (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DST (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBW (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBT (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBB (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DSW-P (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DST-P (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBW-P (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBT-P (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B78DBB-P (xxx=610-660, in steps of 5, 156 cells, Pmax@BNPI=674-729)

DMxxxM10RT-B72DSW (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DST (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DBW (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DBT (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DBB (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DSW-P (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DST-P (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DBW-P (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

DMxxxM10RT-B72DBT-P (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B72DBB-P (xxx=565-605, in steps of 5, 144 cells, Pmax@BNPI=624-669)
 DMxxxM10RT-B66DSW (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DST (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBW (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBT (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBB (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DSW-P (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DST-P (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBW-P (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBT-P (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B66DBB-P (xxx=520-555, in steps of 5, 132 cells, Pmax@BNPI=575-613)
 DMxxxM10RT-B60DSW (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DST (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBW (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBT (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBB (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DSW-P (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DST-P (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBW-P (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBT-P (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B60DBB-P (xxx=470-505, in steps of 5, 120 cells, Pmax@BNPI=519-558)
 DMxxxM10RT-B54DSW (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
 DMxxxM10RT-B54DST (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)
 DMxxxM10RT-B54DBW (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

© TÜV. TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10RT-B54DBT (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBB (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DSW-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DST-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBW-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBT-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBB-L (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DSW-P (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DST-P (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBW-P (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBT-P (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBB-P (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DSW-LP (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DST-LP (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBW-LP (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBT-LP (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B54DBB-LP (xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=470-503)

DMxxxM10RT-B36DSW (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)

DMxxxM10RT-B36DBW (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)

DMxxxM10RT-B36DBT (xxx=285-300, in steps of 5, 72 cells, Pmax@BNPI=315-332)

DMxxxM10RT-B32DSW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)

DMxxxM10RT-B32DBW (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)

DMxxxM10RT-B32DBT (xxx=255-270, in steps of 5, 64 cells, Pmax@BNPI=282-298)

DMxxxG12RT-B66HSW (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HST (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HBW (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HBT (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxG12RT-B66HBB (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HSW-P (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HST-P (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HBW-P (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HBT-P (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B66HBB-P (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

DMxxxG12RT-B54HSW (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HST (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBW (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBT (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBB (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HSW-P (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HST-P (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBW-P (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBT-P (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B54HBB-P (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)

DMxxxG12RT-B48HSW (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HST (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBW (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBT (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBB (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HSW-P (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HST-P (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBW-P (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBT-P (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

DMxxxG12RT-B48HBB-P (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)

GHxxxG12RT-B66HSW (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)

TÜV, TÜV and TÜV are registered trademarks. Certification and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

GHxxxG12RT-B66HST (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)
 GHxxxG12RT-B66HBW (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)
 GHxxxG12RT-B66HBT (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)
 GHxxxG12RT-B66HBB (xxx=590-650, in steps of 5, 132 cells, Pmax@BNPI=652-718)
 GHxxxG12RT-B54HSW (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)
 GHxxxG12RT-B54HST (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)
 GHxxxG12RT-B54HBW (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)
 GHxxxG12RT-B54HBT (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)
 GHxxxG12RT-B54HBB (xxx=485-530, in steps of 5, 108 cells, Pmax@BNPI=536-586)
 GHxxxG12RT-B48HSW (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)
 GHxxxG12RT-B48HST (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)
 GHxxxG12RT-B48HBW (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)
 GHxxxG12RT-B48HBT (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)
 GHxxxG12RT-B48HBB (xxx=435-470, in steps of 5, 96 cells, Pmax@BNPI=481-519)
 DMxxxG12T-B66HSW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HST (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBT (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBB (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 GHxxxG12T-B66HSW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 GHxxxG12T-B66HST (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 GHxxxG12T-B66HBW (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 GHxxxG12T-B66HBT (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 GHxxxG12T-B66HBB (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HSW-P (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HST-P (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBW-P (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBT-P (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxG12T-B66HBB-P (xxx=675-720, in steps of 5, 132 cells, Pmax@BNPI=746-796)
 DMxxxM10T-G78HSW (xxx=590-650, in steps of 5, 156 cells)
 DMxxxM10T-G78HBW (xxx=590-650, in steps of 5, 156 cells)
 DMxxxM10T-G78HBB (xxx=590-650, in steps of 5, 156 cells)
 DMxxxM10T-G78HSW-P (xxx=590-650, in steps of 5, 156 cells)
 DMxxxM10T-G78HBW-P (xxx=590-650, in steps of 5, 156 cells)
 DMxxxM10T-G78HBB-P (xxx=590-650, in steps of 5, 156 cells)

© TÜV, TÜV and TÜV are registered trademarks. Unification and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10T-G72HSW (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G72HBW (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G72HBB (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G72HSW-P (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G72HBW-P (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G72HBB-P (xxx=535-600, in steps of 5, 144 cells)
 DMxxxM10T-G66HSW (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G66HBW (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G66HBB (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G66HSW-P (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G66HBW-P (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G66HBB-P (xxx=500-550, in steps of 5, 132 cells)
 DMxxxM10T-G60HSW (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G60HBW (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G60HBB (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G60HSW-P (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G60HBW-P (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G60HBB-P (xxx=450-500, in steps of 5, 120 cells)
 DMxxxM10T-G54HSW (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBW (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBB (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HSW-L (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBW-L (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBB-L (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HSW-P (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBW-P (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBB-P (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HSW-LP (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBW-LP (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G54HBB-LP (xxx=405-450, in steps of 5, 108 cells)
 DMxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
 DMxxxM10T-G32HBB (xxx=250-265, in steps of 5, 64 cells)
 GHxxxM10T-G72HSW (xxx=535-600, in steps of 5, 144 cells)
 GHxxxM10T-G72HBW (xxx=535-600, in steps of 5, 144 cells)
 GHxxxM10T-G72HBB (xxx=535-600, in steps of 5, 144 cells)
 GHxxxM10T-G66HSW (xxx=500-550, in steps of 5, 132 cells)
 GHxxxM10T-G66HBW (xxx=500-550, in steps of 5, 132 cells)
 GHxxxM10T-G66HBB (xxx=500-550, in steps of 5, 132 cells)
 GHxxxM10T-G66HSW-C (xxx=500-550, in steps of 5, 132 cells)
 GHxxxM10T-G60HSW (xxx=450-500, in steps of 5, 120 cells)
 GHxxxM10T-G60HBW (xxx=450-500, in steps of 5, 120 cells)
 GHxxxM10T-G60HBB (xxx=450-500, in steps of 5, 120 cells)
 GHxxxM10T-G54HSW (xxx=405-450, in steps of 5, 108 cells)
 GHxxxM10T-G54HBW (xxx=405-450, in steps of 5, 108 cells)
 GHxxxM10T-G54HBB (xxx=405-450, in steps of 5, 108 cells)
 GHxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
 GHxxxM10T-G32HSW (xxx=250-265, in steps of 5, 64 cells)
 GHxxxM10T-G32HBW (xxx=250-265, in steps of 5, 64 cells)
 GHxxxM10T-G32HBB (xxx=250-265, in steps of 5, 64 cells)

© TÜV. TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

DMxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
 DMxxxM10T-G32ZBB (xxx=250-265, in steps of 5, 64 cells)
 GHxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
 GHxxxM10T-G32ZBB (xxx=250-265, in steps of 5, 64 cells)
 DMxxxM10RT-G54HSW (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBW (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBB (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HSW-L (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBW-L (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBB-L (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HSW-P (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBW-P (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBB-P (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HSW-LP (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBW-LP (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G54HBB-LP (xxx=425-465, in steps of 5, 108 cells)
 DMxxxM10RT-G32HSW (xxx=255-275, in steps of 5, 64 cells)
 DMxxxM10RT-G32HBW (xxx=255-275, in steps of 5, 64 cells)
 DMxxxM10RT-G32HBB (xxx=255-275, in steps of 5, 64 cells)
 DMxxxM10RT-G27HBW (xxx=225-234, in steps of 1, 54 cells)
 GHxxxM10RT-G54HSW (xxx=425-465, in steps of 5, 108 cells)
 GHxxxM10RT-G54HBW (xxx=425-465, in steps of 5, 108 cells)
 GHxxxM10RT-G54HBB (xxx=425-465, in steps of 5, 108 cells)
 GHxxxM10RT-G32HSW (xxx=255-275, in steps of 5, 64 cells)
 GHxxxM10RT-G32HBW (xxx=255-275, in steps of 5, 64 cells)
 GHxxxM10RT-G32HBB (xxx=255-275, in steps of 5, 64 cells)
 DMxxxM10RT-G36DBB (xxx=285-300, in steps of 5, 72 cells)
 DMxxxM10RT-G32DBB (xxx=255-270, in steps of 5, 64 cells)
 DMxxxG12RT-G66HSW (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G66HBW (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G66HBB (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G66HSW-P (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G66HBW-P (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G66HBB-P (xxx=590-650, in steps of 5, 132 cells)
 DMxxxG12RT-G54HSW (xxx=485-530, in steps of 5, 108 cells)
 DMxxxG12RT-G54HBW (xxx=485-530, in steps of 5, 108 cells)
 DMxxxG12RT-G54HBB (xxx=485-530, in steps of 5, 108 cells)
 DMxxxG12RT-G54HSW-P (xxx=485-530, in steps of 5, 108 cells)
 DMxxxG12RT-G54HBW-P (xxx=485-530, in steps of 5, 108 cells)
 DMxxxG12RT-G54HBB-P (xxx=485-530, in steps of 5, 108 cells)
 GHxxxG12RT-G66HSW (xxx=590-650, in steps of 5, 132 cells)
 GHxxxG12RT-G66HBW (xxx=590-650, in steps of 5, 132 cells)
 GHxxxG12RT-G66HBB (xxx=590-650, in steps of 5, 132 cells)
 GHxxxG12RT-G54HSW (xxx=485-530, in steps of 5, 108 cells)
 GHxxxG12RT-G54HBW (xxx=485-530, in steps of 5, 108 cells)
 GHxxxG12RT-G54HBB (xxx=485-530, in steps of 5, 108 cells)

In addition:

DMxxxM10RT-B30HBB (xxx=240-260, in steps of 5, 60 cells, $P_{max@BNPI=250-270}$)
 xxx represents output power in Wp

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Remarks:

Fire Rating: Class A or C (according to UL 790, refer to test report for details of corresponding materials)

Safety Factors: 1.5

Design Load (Refer to test report for details of corresponding materials and installation methods):

2400 Pa (downward) / 1600 Pa (upward)

3600 Pa (downward) / 2400 Pa (upward)

3600 Pa (downward) / 1600 Pa (upward)

5400 Pa (downward) / 2400 Pa (upward)

5400 Pa (downward) / 3600 Pa (upward)

5400 Pa (downward) / 2667 Pa (upward)

6900 Pa (downward) / 2400 Pa (upward)

2400 Pa (downward) / 2400 Pa (upward)

4500 Pa (downward) / 2400 Pa (upward)

3000 Pa (downward) / 2400 Pa (upward)

3000 Pa (downward) / 1600 Pa (upward)

3000 Pa (downward) / 4300 Pa (upward)

3600 Pa (downward) / 2000 Pa (upward)

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50603275 0006

Berichtsnummer *Report No.:*

CN23ASBT 025

Produkt *Product:*

PV Module

Fertigungsstätten *Factories:*

- 1 Shenzhen Qiming Photovoltaic Technology Co., Ltd.
201, Building 10, No. 2-1,
Xiguangyue Third Road, Loucun Community,
Xinhu Street, Guangming District,
Shenzhen
518107 Guangdong
P.R. China
- 2 DMEGC SOLAR Module Factory
Hengdian Industrial Zone,
Dongyang City
Zhejiang
P.R. China
- 3 Jiangsu DMEGC New Energy Technology Co., Ltd.
No.9 Wulijiang East Road, Sihong County,
Economic Development Zone,
Suqian City,
223900 Jiangsu
P.R. China
- 4 Lianyungang DMEGC New Energy Technology Co., Ltd.
No. 5 Yongan Road,
Ganyu Economic Development Zone,
Lianyungang City,
Jiangsu
P.R. China
- 5 Jiangsu Focus Solar Energy Technology Co., LTD.
No. 66 Lifa Avenue, Development Zone,
Hai'an County, Nantong City,
Jiangsu
P.R. China
- 6 Anhui Chaolong Solar Technology Co., Ltd.
Weiyi Road (Near Jingshier Road),
Tianchang City,
239300 Anhui
P.R. China



© TÜV. TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*
PV 50603275 0006

Berichtsnummer *Report No.:*
CN23ASBT 025

Produkt *Product:*
PV Module

Fertigungsstätten *Factories:*

- 7 AnHui Guosheng New Energy Technology
 Co., Ltd.
 No 8, Kaixing Road, Qinglongshan
 Industrial Park, Lieshan District
 Huaibei City,
 Anhui
 P.R. China

