



Product Service

Attestation of Conformity

No. N8A 076043 0135 Rev. 02

Holder of Attestation: **Hengdian Group DMEGC Magnetics CO., LTD**

Hengdian Industrial Zone
322118 Dongyang, Zhejiang
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-Crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062425019-02

Date, 2025-10-31

(Zhulin Zhang)

Page 1 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

Model(s):

DMxxxM10T-B78HSW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HST, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBT, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBB, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HSW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HST-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBT-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78HBB-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZSW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZST, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBT, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBB, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZSW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZST-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBT-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B78ZBB-P, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HSW, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HST, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HBW, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HBT, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HBB, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78ZST, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78ZBT, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HSW-C, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78HST-C, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78ZSW-C, xxx = 590 to 660 in steps of 5;
 GHxxxM10T-B78ZST-C, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-B72HSW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HST, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBT, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBB, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HSW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HST-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBT-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72HBB-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZSW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZST, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBT, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBB, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZSW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZST-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBT-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B72ZBB-P, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72HSW, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72HST, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72HBW, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72HBT, xxx = 535 to 605 in steps of 5;

Page 2 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

GHxxxM10T-B72HBB, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72ZST, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72ZBT, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72ZSW-C, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-B72ZST-C, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-B66HSW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HST, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBT, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBB, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HSW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HST-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBT-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66HBB-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZSW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZST, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBT, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBB, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZSW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZST-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBT-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B66ZBB-P, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HSW, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HST, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HBW, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HBT, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HBB, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66ZST, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66ZBT, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HSW-C, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66HST-C, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66ZSW-C, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-B66ZST-C, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-B60HSW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HST, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBT, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBB, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HSW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HST-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBT-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBB-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZSW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZST, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZBW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZBT, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZBB, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZSW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZST-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZBW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60ZBT-P, xxx = 450 to 505 in steps of 5;

Page 3 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10T-B60ZBB-P, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HSW, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HST, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBW, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBT, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBB, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60ZST, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60ZBT, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HSW-L, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HST-L, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBW-L, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBT-L, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBB-L, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HSW-LP, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HST-LP, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBW-LP, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBT-LP, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B60HBB-LP, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HSW-L, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HST-L, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBW-L, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBT-L, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60HBB-L, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60ZSW-C, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-B60ZST-C, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-B54HSW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HST, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBT, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBB, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HSW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HST-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBT-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBB-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZSW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZST, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBT, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBB, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZSW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZST-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBT-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBB-P, xxx = 405 to 455 in steps of 5;
 PW54M10-BB xxx, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HSW, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HST, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBW, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBT, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBB, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54ZST, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54ZBT, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HSW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HST-L, xxx = 405 to 455 in steps of 5;

Page 4 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10T-B54HBW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBT-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBB-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HSW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HST-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBT-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54HBB-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZSW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZST-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBT-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBB-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZSW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZST-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBT-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-B54ZBB-LP, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HSW-L, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HST-L, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBW-L, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBT-L, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54HBB-L, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54ZSW-C, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B54ZST-C, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-B48HST, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZST, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZST-L, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48HSW-C, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48HST-C, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZSW-C, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZST-C, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZSW-LC, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B48ZST-LC, xxx = 360 to 405 in steps of 5;
 GHxxxM10T-B44HST, xxx = 330 to 370 in steps of 5;
 GHxxxM10T-B44ZST, xxx = 330 to 370 in steps of 5;
 GHxxxM10T-B44HST-C, xxx = 330 to 370 in steps of 5;
 GHxxxM10T-B44ZST-C, xxx = 330 to 370 in steps of 5;
 GHxxxM10T-B40HST, xxx = 300 to 335 in steps of 5;
 GHxxxM10T-B40ZST, xxx = 300 to 335 in steps of 5;
 GHxxxM10T-B40HST-C, xxx = 300 to 335 in steps of 5;
 GHxxxM10T-B40ZST-C, xxx = 300 to 335 in steps of 5;
 DMxxxM10T-B36HBT, xxx = 270 to 300 in steps of 5;
 DMxxxM10T-B36ZSW, xxx = 270 to 300 in steps of 5;
 DMxxxM10T-B36ZBW, xxx = 270 to 300 in steps of 5;
 DMxxxM10T-B36ZBT, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36HST, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36HBT, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZST, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZBT, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZBB, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36HST-C, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZSW-C, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZST-C, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-B36ZSW-LC, xxx = 270 to 300 in steps of 5;

Page 5 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10T-B32HBT, xxx = 250 to 270 in steps of 5;
 DMxxxM10T-B32ZSW, xxx = 250 to 270 in steps of 5;
 DMxxxM10T-B32ZBW, xxx = 250 to 270 in steps of 5;
 DMxxxM10T-B32ZBT, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HSW, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HST, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HBW, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HBT, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HBB, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZST, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZBT, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZBB, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32HST-C, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZSW-C, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZST-C, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-B32ZSW-LC, xxx = 250 to 270 in steps of 5;
 DMxxxM10T-B30HBW, xxx = 235 to 250 in steps of 5;
 DMxxxM10RT-B72HSW, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HST, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBW, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBT, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBB, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HSW-P, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HST-P, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBW-P, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBT-P, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B72HBB-P, xxx = 590 to 625 in steps of 5;
 GHxxxM10RT-B72HSW, xxx = 590 to 625 in steps of 5;
 GHxxxM10RT-B72HST, xxx = 590 to 625 in steps of 5;
 GHxxxM10RT-B72HBW, xxx = 590 to 625 in steps of 5;
 GHxxxM10RT-B72HBT, xxx = 590 to 625 in steps of 5;
 GHxxxM10RT-B72HBB, xxx = 590 to 625 in steps of 5;
 DMxxxM10RT-B60HSW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HST, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBT, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBB, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HSW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HST-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBT-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBB-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZSW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZST, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBT, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBB, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZSW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZST-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBT-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60ZBB-P, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HSW, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HST, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HBW, xxx = 475 to 520 in steps of 5;

Page 6 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

GHxxxM10RT-B60HBT, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HBB, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60ZST, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60ZBT, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60ZSW-C, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60ZST-C, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HSW-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HST-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBW-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBT-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBB-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HSW-LP, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HST-LP, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBW-LP, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBT-LP, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B60HBB-LP, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HSW-L, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HST-L, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HBW-L, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HBT-L, xxx = 475 to 520 in steps of 5;
 GHxxxM10RT-B60HBB-L, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-B54HSW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HST, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBT, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBB, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HSW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HST-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBT-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBB-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZSW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZST, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBT, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBB, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZSW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZST-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBT-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBB-P, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HSW, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HST, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBW, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBT, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBB, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZST, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZBT, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZSW-C, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZST-C, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZSW-LC, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZST-LC, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HSW-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HST-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBW-L, xxx = 425 to 465 in steps of 5;

Page 7 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10RT-B54HBT-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBB-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HSW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HST-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBT-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54HBB-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZSW-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZST-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBW-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBT-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBB-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZSW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZST-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBT-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-B54ZBB-LP, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HSW-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HST-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBW-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBT-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54HBB-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZST-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B54ZBT-L, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-B48ZST, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B48HSW-C, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B48HST-C, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B48ZSW-C, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B48ZST-C, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B48ZSW-LC, xxx = 380 to 415 in steps of 5;
 GHxxxM10RT-B40HSW-C, xxx = 315 to 345 in steps of 5;
 GHxxxM10RT-B40HST-C, xxx = 315 to 345 in steps of 5;
 DMxxxM10RT-B32HSW, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-B32HST, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-B32HBW, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-B32HBT, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-B32HBB, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-B32HSW, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-B32HST, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-B32HBW, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-B32HBT, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-B32HBB, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-B30HBW, xxx = 240 to 260 in steps of 5;
 DMxxxM10RT-B30HBB, xxx = 240 to 260 in steps of 5;
 DMxxxM10RT-B27HBW, xxx = 225 to 234 in steps of 1;
 DMxxxM10RT-B78DSW, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBW, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DST, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBT, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBB, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DSW-P, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBW-P, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DST-P, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBT-P, xxx = 610 to 660 in steps of 5;
 DMxxxM10RT-B78DBB-P, xxx = 610 to 660 in steps of 5;

Page 8 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10RT-B72DSW, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBW, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DST, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBT, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBB, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DSW-P, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBW-P, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DST-P, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBT-P, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B72DBB-P, xxx = 565 to 605 in steps of 5;
 DMxxxM10RT-B66DSW, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBW, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DST, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBT, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBB, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DSW-P, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBW-P, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DST-P, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBT-P, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B66DBB-P, xxx = 520 to 555 in steps of 5;
 DMxxxM10RT-B60DSW, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBW, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DST, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBT, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBB, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DSW-P, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBW-P, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DST-P, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBT-P, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B60DBB-P, xxx = 470 to 505 in steps of 5;
 DMxxxM10RT-B54DSW, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBW, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DST, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBT, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBB, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DSW-P, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBW-P, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DST-P, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBT-P, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBB-P, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DSW-L, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBW-L, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DST-L, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBT-L, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBB-L, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DSW-LP, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBW-LP, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DST-LP, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBT-LP, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B54DBB-LP, xxx = 425 to 455 in steps of 5;
 DMxxxM10RT-B36DSW, xxx = 285 to 300 in steps of 5;
 DMxxxM10RT-B36DBW, xxx = 285 to 300 in steps of 5;
 DMxxxM10RT-B36DBT, xxx = 285 to 300 in steps of 5;
 DMxxxM10RT-B32DSW, xxx = 255 to 270 in steps of 5;
 DMxxxM10RT-B32DBW, xxx = 255 to 270 in steps of 5;

Page 9 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10RT-B32DBT, xxx = 255 to 270 in steps of 5;
 DMxxxG12RT-B78HSW, xxx = 710 to 755 in steps of 5;
 DMxxxG12RT-B78HST, xxx = 710 to 755 in steps of 5;
 DMxxxG12RT-B78HBW, xxx = 710 to 755 in steps of 5;
 DMxxxG12RT-B78HBT, xxx = 710 to 755 in steps of 5;
 DMxxxG12RT-B78HBB, xxx = 710 to 755 in steps of 5;
 DMxxxG12RT-B66HSW, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBW, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HST, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBT, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBB, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HSW-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HST-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBW-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBT-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B66HBB-P, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-B66HSW, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-B66HST, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-B66HBW, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-B66HBT, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-B66HBB, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-B54HSW, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HST, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBW, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBT, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBB, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HSW-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HST-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBW-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBT-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B54HBB-P, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-B54HSW, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-B54HST, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-B54HBW, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-B54HBT, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-B54HBB, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-B48HSW, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HST, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBW, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBT, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBB, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HSW-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HST-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBW-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBT-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBB-P, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HSW, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HST, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBW, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBT, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBB, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HSW-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HST-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBW-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBT-L, xxx = 435 to 470 in steps of 5;

Page 10 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxG12RT-B48HBB-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HSW-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HST-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBW-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBT-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-B48HBB-LP, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HSW-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HST-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBW-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBT-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B48HBB-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-B44HST, xxx = 395 to 430 in steps of 5;
 GHxxxG12RT-B40HST, xxx = 360 to 390 in steps of 5;
 DMxxxG12T-B66HSW, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HST, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBW, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBT, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBB, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HSW-P, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HST-P, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBW-P, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBT-P, xxx = 675 to 720 in steps of 5;
 DMxxxG12T-B66HBB-P, xxx = 675 to 720 in steps of 5;
 GHxxxG12T-B66HSW, xxx = 675 to 720 in steps of 5;
 GHxxxG12T-B66HST, xxx = 675 to 720 in steps of 5;
 GHxxxG12T-B66HBW, xxx = 675 to 720 in steps of 5;
 GHxxxG12T-B66HBT, xxx = 675 to 720 in steps of 5;
 GHxxxG12T-B66HBB, xxx = 675 to 720 in steps of 5;
 DMxxxM10T-G78HSW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G78HBW, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G78HBB, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G78HSW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G78HBW-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G78HBB-P, xxx = 590 to 660 in steps of 5;
 DMxxxM10T-G72HSW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G72HBW, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G72HBB, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G72HSW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G72HBW-P, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G72HBB-P, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-G72HSW, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-G72HBW, xxx = 535 to 605 in steps of 5;
 GHxxxM10T-G72HBB, xxx = 535 to 605 in steps of 5;
 DMxxxM10T-G66HSW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G66HBW, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G66HBB, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G66HSW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G66HBW-P, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G66HBB-P, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-G66HSW, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-G66HBW, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-G66HBB, xxx = 500 to 555 in steps of 5;
 GHxxxM10T-G66HSW-C, xxx = 500 to 555 in steps of 5;
 DMxxxM10T-G60HSW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-G60HBB, xxx = 450 to 505 in steps of 5;

Page 11 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10T-G60HBW, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-G60HSW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-G60HBW-P, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-G60HBB-P, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-G60HSW, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-G60HBW, xxx = 450 to 505 in steps of 5;
 GHxxxM10T-G60HBB, xxx = 450 to 505 in steps of 5;
 DMxxxM10T-G54HSW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBW, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBB, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HSW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBW-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBB-P, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HSW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBW-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBB-L, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HSW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBW-LP, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G54HBB-LP, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-G54HSW, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-G54HBW, xxx = 405 to 455 in steps of 5;
 GHxxxM10T-G54HBB, xxx = 405 to 455 in steps of 5;
 DMxxxM10T-G36HBB, xxx = 270 to 300 in steps of 5;
 DMxxxM10T-G36ZBB, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-G36HBB, xxx = 270 to 300 in steps of 5;
 GHxxxM10T-G36ZBB, xxx = 270 to 300 in steps of 5;
 DMxxxM10T-G32HBB, xxx = 250 to 270 in steps of 5;
 DMxxxM10T-G32ZBB, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-G32HSW, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-G32HBW, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-G32HBB, xxx = 250 to 270 in steps of 5;
 GHxxxM10T-G32ZBB, xxx = 250 to 270 in steps of 5;
 DMxxxM10RT-G60HSW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G60HBW, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G60HBB, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G60HSW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G60HBW-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G60HBB-P, xxx = 475 to 520 in steps of 5;
 DMxxxM10RT-G54HSW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBW, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBB, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HSW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBW-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBB-P, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HSW-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBW-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBB-L, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HSW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBW-LP, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G54HBB-LP, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-G54HSW, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-G54HBW, xxx = 425 to 465 in steps of 5;
 GHxxxM10RT-G54HBB, xxx = 425 to 465 in steps of 5;
 DMxxxM10RT-G32HSW, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-G32HBW, xxx = 255 to 275 in steps of 5;

Page 12 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 02

DMxxxM10RT-G32HBB, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-G32HSW, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-G32HBW, xxx = 255 to 275 in steps of 5;
 GHxxxM10RT-G32HBB, xxx = 255 to 275 in steps of 5;
 DMxxxM10RT-G27HBW, xxx = 225 to 234 in steps of 1;
 DMxxxM10RT-G36DBB, xxx = 285 to 300 in steps of 5;
 DMxxxM10RT-G32DBB, xxx = 255 to 270 in steps of 5;
 DMxxxG12RT-G66HSW, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G66HBW, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G66HBB, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G66HSW-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G66HBW-P, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G66HBB-P, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-G66HSW, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-G66HBW, xxx = 590 to 655 in steps of 5;
 GHxxxG12RT-G66HBB, xxx = 590 to 655 in steps of 5;
 DMxxxG12RT-G54HSW, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G54HBW, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G54HBB, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G54HSW-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G54HBW-P, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G54HBB-P, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-G54HSW, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-G54HBW, xxx = 485 to 530 in steps of 5;
 GHxxxG12RT-G54HBB, xxx = 485 to 530 in steps of 5;
 DMxxxG12RT-G48HSW, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBW, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBB, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HSW-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBW-P, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBB-P, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HSW, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HBW, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HBB, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HSW-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBW-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBB-L, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HSW-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBW-LP, xxx = 435 to 470 in steps of 5;
 DMxxxG12RT-G48HBB-LP, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HSW-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HBW-L, xxx = 435 to 470 in steps of 5;
 GHxxxG12RT-G48HBB-L, xxx = 435 to 470 in steps of 5;
 xxx is standing for rated output power at STC

Parameters:

Test Laboratory:	Zhejiang HJE Co., Ltd. 3-4/F., Building 1, No. 3556, Linggongtang Road, Nanhu District Jiaxing, Zhejiang, China
Construction:	Framed, with Junction box, Cable and Connectors.
Safety Class:	Class II

Page 13 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 076043 0135 Rev. 02

Maximum System Voltage: 1500 V DC
 Fire Safety Class: Class C or Class A according to UL 790

Tested according to:

EN IEC 61730-1:2018
 EN IEC 61730-1:2018/AC:2018-06
 EN IEC 61730-2:2018
 EN IEC 61730-2:2018/AC:2018-06

Page 14 of 14

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.