C E R T I F I C A T E

of Conformity

Registration No.:	AK 50744823 0001
Report No.:	CN24P2PD 009
Holder:	Hengdian Group DMEGC Magnetics Co., Ltd. Hengdian Industrial Zone Dongyang City Zhejiang P.R. China
Product:	PV Module

Type designation listed on the next page

The certificate of conformity refers to the above-mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned on the next page. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Certification Body

Date: 2026-09-07

Angela Yao

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Registration No.: AK 50744823 0001

Product: PV Module

Tested according to: IEC 61701:2020
EN IEC 61701:2020

Identification: Type Designation

Max. System Voltage: up to 1500 VDC (Voc at STC):
With 1/2 cut mono bifacial c-Si cells:
DMxxxM10T-B78HSW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78HST (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78HBW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78HBT (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78HBB (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B72HSW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72HST (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72HBW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72HBT (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72HBB (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B66HSW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66HST (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66HBW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66HBT (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66HBB (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B60HSW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10T-B60HST (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBT (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBB (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HSW-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HST-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBW-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBT-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60HBB-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B54HSW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HST (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBT (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBB (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HSW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HST-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBT-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54HBB-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B48HBW (xxx=360-405, in steps of 5, 96 cells,Pmax@BNPI=398-448)
DMxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
DMxxxM10T-B32HBT (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10T-B30HBW (xxx=235-250, in steps of 5, 60 cells,Pmax@BNPI=244-260)
GHxxxM10T-B78HSW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B78HST (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B78HBW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B78HBT (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B78HBB (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B72HSW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B72HST (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B72HBW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B72HBT (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B72HBB (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B66HSW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B66HST (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B66HBW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B66HBT (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B66HBB (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B60HSW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HST (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBT (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBB (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HSW-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification: Type Designation

GHxxxM10T-B60HST-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBW-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBT-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60HBB-L (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B54HSW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HST (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBT (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBB (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HSW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HST-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBT-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54HBB-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B48HST (xxx=360-405, in steps of 5, 96 cells,Pmax@BNPI=398-448)
GHxxxM10T-B44HST (xxx=330-370, in steps of 5, 88 cells,Pmax@BNPI=365-409)
GHxxxM10T-B40HST (xxx=300-335, in steps of 5, 80 cells,Pmax@BNPI=332-370)
GHxxxM10T-B36HST (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
GHxxxM10T-B36HBT (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
GHxxxM10T-B32HSW (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B32HST (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B32HBW (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

GHxxxM10T-B32HBT (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B32HBB (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
PW54M10-BB xxx (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B78ZSW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78ZST (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78ZBW (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78ZBT (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B78ZBB (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
DMxxxM10T-B72ZSW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72ZST (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72ZBW (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72ZBT (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B72ZBB (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
DMxxxM10T-B66ZSW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66ZST (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66ZBW (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66ZBT (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B66ZBB (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
DMxxxM10T-B60ZSW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60ZST (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60ZBW (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B60ZBT (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10T-B60ZBB (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
DMxxxM10T-B54ZSW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZST (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBW (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBT (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBB (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZSW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZST-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBW-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBT-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B54ZBB-L (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
DMxxxM10T-B36ZSW (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
DMxxxM10T-B36ZBW (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
DMxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
DMxxxM10T-B32ZSW (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
DMxxxM10T-B32ZBW (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
DMxxxM10T-B32ZBT (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B78ZST (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B78ZBT (xxx=590-660, in steps of 5, 156 cells,Pmax@BNPI=652-728)
GHxxxM10T-B72ZST (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B72ZBT (xxx=535-605, in steps of 5, 144 cells,Pmax@BNPI=591-669)
GHxxxM10T-B66ZST (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity

Identification: Type Designation

GHxxxM10T-B66ZBT (xxx=500-555, in steps of 5, 132 cells,Pmax@BNPI=553-613)
GHxxxM10T-B60ZST (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B60ZBT (xxx=450-505, in steps of 5, 120 cells,Pmax@BNPI=497-558)
GHxxxM10T-B54ZST (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B54ZBT (xxx=405-455, in steps of 5, 108 cells,Pmax@BNPI=448-503)
GHxxxM10T-B48ZST (xxx=360-405, in steps of 5, 96 cells,Pmax@BNPI=398-448)
GHxxxM10T-B48ZST-L (xxx=360-405, in steps of 5, 96 cells,Pmax@BNPI=398-448)
GHxxxM10T-B44ZST (xxx=330-370, in steps of 5, 88 cells,Pmax@BNPI=365-409)
GHxxxM10T-B40ZST (xxx=300-335, in steps of 5, 80 cells,Pmax@BNPI=332-370)
GHxxxM10T-B36ZST (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
GHxxxM10T-B36ZBT (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
GHxxxM10T-B36ZBB (xxx=270-300, in steps of 5, 72 cells,Pmax@BNPI=298-332)
GHxxxM10T-B32ZST (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B32ZBT (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
GHxxxM10T-B32ZBB (xxx=250-270, in steps of 5, 64 cells,Pmax@BNPI=276-298)
DMxxxM10RT-B72HSW (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
DMxxxM10RT-B72HST (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
DMxxxM10RT-B72HBW (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
DMxxxM10RT-B72HBT (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
DMxxxM10RT-B72HBB (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
DMxxxM10RT-B60HSW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HST (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10RT-B60HBW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HBT (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HBB (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HSW-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HST-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HBW-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HBT-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60HBB-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B54HSW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HST (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBT (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBB (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HSW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HST-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBT-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54HBB-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B32HSW (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
DMxxxM10RT-B32HST (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
DMxxxM10RT-B32HBW (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
DMxxxM10RT-B32HBT (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10RT-B32HBB (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
DMxxxM10RT-B30HBW (xxx=240-260, in steps of 5, 60 cells,Pmax@BNPI=250-270)
DMxxxM10RT-B30HBB (xxx=240-260, in steps of 5, 60 cells,Pmax@BNPI=250-270)
DMxxxM10RT-B27HBW (xxx=225-234, in steps of 1, 54 cells,Pmax@BNPI=246-256)
GHxxxM10RT-B72HSW (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
GHxxxM10RT-B72HST (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
GHxxxM10RT-B72HBW (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
GHxxxM10RT-B72HBT (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
GHxxxM10RT-B72HBB (xxx=590-625, in steps of 5, 144 cells,Pmax@BNPI=652-691)
GHxxxM10RT-B60HSW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HST (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBT (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBB (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HSW-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HST-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBW-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBT-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60HBB-L (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B54HSW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HST (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HBW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification: Type Designation

GHxxxM10RT-B54HBT (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HBB (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HSW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HST-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HBW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HBT-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54HBB-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B32HSW (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
GHxxxM10RT-B32HST (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
GHxxxM10RT-B32HBW (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
GHxxxM10RT-B32HBT (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
GHxxxM10RT-B32HBB (xxx=255-275, in steps of 5, 64 cells,Pmax@BNPI=282-304)
DMxxxM10RT-B60ZSW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60ZST (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60ZBW (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60ZBT (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B60ZBB (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
DMxxxM10RT-B54ZSW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZST (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBW (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBT (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBB (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10RT-B54ZSW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZST-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBW-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBT-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
DMxxxM10RT-B54ZBB-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B60ZST (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B60ZBT (xxx=475-520, in steps of 5, 120 cells,Pmax@BNPI=525-575)
GHxxxM10RT-B54ZST (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54ZBT (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54ZST-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B54ZBT-L (xxx=425-465, in steps of 5, 108 cells,Pmax@BNPI=470-514)
GHxxxM10RT-B48ZST (xxx=380-415, in steps of 5, 96 cells,Pmax@BNPI=420-459)
DMxxxM10RT-B78DSW (xxx=610-660, in steps of 5, 156 cells,Pmax@BNPI=674-729)
DMxxxM10RT-B78DST (xxx=610-660, in steps of 5, 156 cells,Pmax@BNPI=674-729)
DMxxxM10RT-B78DBW (xxx=610-660, in steps of 5, 156 cells,Pmax@BNPI=674-729)
DMxxxM10RT-B78DBT (xxx=610-660, in steps of 5, 156 cells,Pmax@BNPI=674-729)
DMxxxM10RT-B78DBB (xxx=610-660, in steps of 5, 156 cells,Pmax@BNPI=674-729)
DMxxxM10RT-B72DSW (xxx=565-605, in steps of 5, 144 cells,Pmax@BNPI=624-669)
DMxxxM10RT-B72DST (xxx=565-605, in steps of 5, 144 cells,Pmax@BNPI=624-669)
DMxxxM10RT-B72DBW (xxx=565-605, in steps of 5, 144 cells,Pmax@BNPI=624-669)
DMxxxM10RT-B72DBT (xxx=565-605, in steps of 5, 144 cells,Pmax@BNPI=624-669)
DMxxxM10RT-B72DBB (xxx=565-605, in steps of 5, 144 cells,Pmax@BNPI=624-669)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification: Type Designation

DMxxxM10RT-B66DSW (xxx=520-555, in steps of 5, 132 cells,Pmax@BNPI=575-613)
DMxxxM10RT-B66DST (xxx=520-555, in steps of 5, 132 cells,Pmax@BNPI=575-613)
DMxxxM10RT-B66DBW (xxx=520-555, in steps of 5, 132 cells,Pmax@BNPI=575-613)
DMxxxM10RT-B66DBT (xxx=520-555, in steps of 5, 132 cells,Pmax@BNPI=575-613)
DMxxxM10RT-B66DBB (xxx=520-555, in steps of 5, 132 cells,Pmax@BNPI=575-613)
DMxxxM10RT-B60DSW (xxx=470-505, in steps of 5, 120 cells,Pmax@BNPI=519-558)
DMxxxM10RT-B60DST (xxx=470-505, in steps of 5, 120 cells,Pmax@BNPI=519-558)
DMxxxM10RT-B60DBW (xxx=470-505, in steps of 5, 120 cells,Pmax@BNPI=519-558)
DMxxxM10RT-B60DBT (xxx=470-505, in steps of 5, 120 cells,Pmax@BNPI=519-558)
DMxxxM10RT-B60DBB (xxx=470-505, in steps of 5, 120 cells,Pmax@BNPI=519-558)
DMxxxM10RT-B54DSW (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DST (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBW (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBT (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBB (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DSW-L (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DST-L (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBW-L (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBT-L (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B54DBB-L (xxx=425-455, in steps of 5, 108 cells,Pmax@BNPI=470-503)
DMxxxM10RT-B36DSW (xxx=285-300, in steps of 5, 72 cells,Pmax@BNPI=315-332)
DMxxxM10RT-B36DBW (xxx=285-300, in steps of 5, 72 cells,Pmax@BNPI=315-332)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10RT-B36DBT (xxx=285-300, in steps of 5, 72 cells,Pmax@BNPI=315-332)
DMxxxM10RT-B32DSW (xxx=255-270, in steps of 5, 64 cells,Pmax@BNPI=282-298)
DMxxxM10RT-B32DBW (xxx=255-270, in steps of 5, 64 cells,Pmax@BNPI=282-298)
DMxxxM10RT-B32DBT (xxx=255-270, in steps of 5, 64 cells,Pmax@BNPI=282-298)
DMxxxG12RT-B66HSW (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
DMxxxG12RT-B66HST (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
DMxxxG12RT-B66HBW (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
DMxxxG12RT-B66HBT (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
DMxxxG12RT-B66HBB (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
DMxxxG12RT-B54HSW (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
DMxxxG12RT-B54HST (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
DMxxxG12RT-B54HBW (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
DMxxxG12RT-B54HBT (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
DMxxxG12RT-B54HBB (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
DMxxxG12RT-B48HSW (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HST (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HBW (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HBT (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HBB (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HSW-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HST-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HBW-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxG12RT-B48HBT-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
DMxxxG12RT-B48HBB-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B66HSW (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
GHxxxG12RT-B66HST (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
GHxxxG12RT-B66HBW (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
GHxxxG12RT-B66HBT (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
GHxxxG12RT-B66HBB (xxx=590-650, in steps of 5, 132 cells,Pmax@BNPI=652-718)
GHxxxG12RT-B60HST (xxx=545-590, in steps of 5, 120 cells,Pmax@BNPI=603-652)
GHxxxG12RT-B54HSW (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
GHxxxG12RT-B54HST (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
GHxxxG12RT-B54HBW (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
GHxxxG12RT-B54HBT (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
GHxxxG12RT-B54HBB (xxx=485-530, in steps of 5, 108 cells,Pmax@BNPI=536-586)
GHxxxG12RT-B48HSW (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HST (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HBW (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HBT (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HBB (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HSW-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HST-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HBW-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B48HBT-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

GHxxxG12RT-B48HBB-L (xxx=435-475, in steps of 5, 96 cells,Pmax@BNPI=481-525)
GHxxxG12RT-B44HST (xxx=395-435, in steps of 5, 88 cells,Pmax@BNPI=437-481)
GHxxxG12RT-B42HST (xxx = 380-410 in steps of 5, 84 cells,Pmax@BNPI=420-453)
GHxxxG12RT-B40HST (xxx=360-395, in steps of 5, 80 cells,Pmax@BNPI=398-437)
GHxxxG12RT-B36HST (xxx=325-350, in steps of 5, 72 cells,Pmax@BNPI=359-387)
GHxxxG12RT-B32HST (xxx=290-315, in steps of 5, 64 cells,Pmax@BNPI=321-348)
GHxxxG12RT-B28HST (xxx=255-275, in steps of 5, 56 cell,Pmax@BNPI=282-304)
DMxxxG12RT-B78HSW (xxx=710-755, in steps of 5, 156 cells,Pmax@BNPI=785-835)
DMxxxG12RT-B78HST (xxx=710-755, in steps of 5, 156 cells,Pmax@BNPI=785-835)
DMxxxG12RT-B78HBW (xxx=710-755, in steps of 5, 156 cells,Pmax@BNPI=785-835)
DMxxxG12RT-B78HBT (xxx=710-755, in steps of 5, 156 cells,Pmax@BNPI=785-835)
DMxxxG12RT-B78HBB (xxx=710-755, in steps of 5, 156 cells,Pmax@BNPI=785-835)
DMxxxG12T-B72HSW (xxx=765-805, in steps of 5, 144 cells,Pmax@BNPI=846-890)
DMxxxG12T-B72HST (xxx=765-805, in steps of 5, 144 cells,Pmax@BNPI=846-890)
DMxxxG12T-B72HBW (xxx=765-805, in steps of 5, 144 cells,Pmax@BNPI=846-890)
DMxxxG12T-B72HBT (xxx=765-805, in steps of 5, 144 cells,Pmax@BNPI=846-890)
DMxxxG12T-B72HBB (xxx=765-805, in steps of 5, 144 cells,Pmax@BNPI=846-890)
DMxxxG12T-B66HSW (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
DMxxxG12T-B66HST (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
DMxxxG12T-B66HBW (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
DMxxxG12T-B66HBT (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
DMxxxG12T-B66HBB (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification: Type Designation

GHxxxG12T-B66HSW (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
GHxxxG12T-B66HST (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
GHxxxG12T-B66HBW (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
GHxxxG12T-B66HBT (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
GHxxxG12T-B66HBB (xxx=675-745, in steps of 5, 132 cells,Pmax@BNPI=746-823)
DMxxxM10T-G78HSW (xxx=590-660, in steps of 5, 156 cells)
DMxxxM10T-G78HBW (xxx=590-660, in steps of 5, 156 cells)
DMxxxM10T-G78HBB (xxx=590-660, in steps of 5, 156 cells)
DMxxxM10T-G72HSW (xxx=535-605, in steps of 5, 144 cells)
DMxxxM10T-G72HBW (xxx=535-605, in steps of 5, 144 cells)
DMxxxM10T-G72HBB (xxx=535-605, in steps of 5, 144 cells)
DMxxxM10T-G66HSW (xxx=500-555, in steps of 5, 132 cells)
DMxxxM10T-G66HBW (xxx=500-555, in steps of 5, 132 cells)
DMxxxM10T-G66HBB (xxx=500-555, in steps of 5, 132 cells)
DMxxxM10T-G60HSW (xxx=450-505, in steps of 5, 120 cells)
DMxxxM10T-G60HBW (xxx=450-505, in steps of 5, 120 cells)
DMxxxM10T-G60HBB (xxx=450-505, in steps of 5, 120 cells)
DMxxxM10T-G54HSW (xxx=405-455, in steps of 5, 108 cells)
DMxxxM10T-G54HBW (xxx=405-455, in steps of 5, 108 cells)
DMxxxM10T-G54HBB (xxx=405-455, in steps of 5, 108 cells)
DMxxxM10T-G54HSW-L (xxx=405-455, in steps of 5, 108 cells)
DMxxxM10T-G54HBW-L (xxx=405-455, in steps of 5, 108 cells)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10T-G54HBB-L (xxx=405-455, in steps of 5, 108 cells)
DMxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
DMxxxM10T-G32HBB (xxx=250-270, in steps of 5, 64 cells)
GHxxxM10T-G72HSW (xxx=535-605, in steps of 5, 144 cells)
GHxxxM10T-G72HBW (xxx=535-605, in steps of 5, 144 cells)
GHxxxM10T-G72HBB (xxx=535-605, in steps of 5, 144 cells)
GHxxxM10T-G66HSW (xxx=500-555, in steps of 5, 132 cells)
GHxxxM10T-G66HBW (xxx=500-555, in steps of 5, 132 cells)
GHxxxM10T-G66HBB (xxx=500-555, in steps of 5, 132 cells)
GHxxxM10T-G60HSW (xxx=450-505, in steps of 5, 120 cells)
GHxxxM10T-G60HBW (xxx=450-505, in steps of 5, 120 cells)
GHxxxM10T-G60HBB (xxx=450-505, in steps of 5, 120 cells)
GHxxxM10T-G54HSW (xxx=405-455, in steps of 5, 108 cells)
GHxxxM10T-G54HBW (xxx=405-455, in steps of 5, 108 cells)
GHxxxM10T-G54HBB (xxx=405-455, in steps of 5, 108 cells)
GHxxxM10T-G36HBB (xxx=270-300, in steps of 5, 72 cells)
GHxxxM10T-G32HSW (xxx=250-270, in steps of 5, 64 cells)
GHxxxM10T-G32HBW (xxx=250-270, in steps of 5, 64 cells)
GHxxxM10T-G32HBB (xxx=250-270, in steps of 5, 64 cells)
DMxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
DMxxxM10T-G32ZBB (xxx=250-270, in steps of 5, 64 cells)
GHxxxM10T-G36ZBB (xxx=270-300, in steps of 5, 72 cells)
GHxxxM10T-G32ZBB (xxx=250-270, in steps of 5, 64 cells)
DMxxxM10RT-G60HSW (xxx=475-520, in steps of 5, 120 cells)
DMxxxM10RT-G60HBW (xxx=475-520, in steps of 5, 120 cells)
DMxxxM10RT-G60HBB (xxx=475-520, in steps of 5, 120 cells)
DMxxxM10RT-G54HSW (xxx=425-465, in steps of 5, 108 cells)

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxM10RT-G54HBW (xxx=425-465, in steps of 5, 108 cells)
DMxxxM10RT-G54HBB (xxx=425-465, in steps of 5, 108 cells)
DMxxxM10RT-G54HSW-L (xxx=425-465, in steps of 5, 108 cells)
DMxxxM10RT-G54HBW-L (xxx=425-465, in steps of 5, 108 cells)
DMxxxM10RT-G54HBB-L (xxx=425-465, in steps of 5, 108 cells)
DMxxxM10RT-G32HSW (xxx=255-275, in steps of 5, 64 cells)
DMxxxM10RT-G32HBW (xxx=255-275, in steps of 5, 64 cells)
DMxxxM10RT-G32HBB (xxx=255-275, in steps of 5, 64 cells)
DMxxxM10RT-G27HBW (xxx=225-234, in steps of 1, 54 cells)
GHxxxM10RT-G54HSW (xxx=425-465, in steps of 5, 108 cells)
GHxxxM10RT-G54HBW (xxx=425-465, in steps of 5, 108 cells)
GHxxxM10RT-G54HBB (xxx=425-465, in steps of 5, 108 cells)
GHxxxM10RT-G32HSW (xxx=255-275, in steps of 5, 64 cells)
GHxxxM10RT-G32HBW (xxx=255-275, in steps of 5, 64 cells)
GHxxxM10RT-G32HBB (xxx=255-275, in steps of 5, 64 cells)
DMxxxM10RT-G36DBB (xxx=285-300, in steps of 5, 72 cells)
DMxxxM10RT-G32DBB (xxx=255-270, in steps of 5, 64 cells)
DMxxxG12RT-G66HSW (xxx=590-650, in steps of 5, 132 cells)
DMxxxG12RT-G66HBW (xxx=590-650, in steps of 5, 132 cells)
DMxxxG12RT-G66HBB (xxx=590-650, in steps of 5, 132 cells)
DMxxxG12RT-G54HSW (xxx=485-530, in steps of 5, 108 cells)
DMxxxG12RT-G54HBW (xxx=485-530, in steps of 5, 108 cells)

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity

Identification:

Type Designation

DMxxxG12RT-G54HBB (xxx=485-530, in steps of 5, 108 cells)
DMxxxG12RT-G48HSW (xxx=435-475, in steps of 5, 96 cells)
DMxxxG12RT-G48HBW (xxx=435-475, in steps of 5, 96 cells)
DMxxxG12RT-G48HBB (xxx=435-475, in steps of 5, 96 cells)
DMxxxG12RT-G48HSW-L (xxx=435-475, in steps of 5, 96 cells)
DMxxxG12RT-G48HBW-L (xxx=435-475, in steps of 5, 96 cells)
DMxxxG12RT-G48HBB-L (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G66HSW (xxx=590-650, in steps of 5, 132 cells)
GHxxxG12RT-G66HBW (xxx=590-650, in steps of 5, 132 cells)
GHxxxG12RT-G66HBB (xxx=590-650, in steps of 5, 132 cells)
GHxxxG12RT-G54HSW (xxx=485-530, in steps of 5, 108 cells)
GHxxxG12RT-G54HBW (xxx=485-530, in steps of 5, 108 cells)
GHxxxG12RT-G54HBB (xxx=485-530, in steps of 5, 108 cells)
GHxxxG12RT-G48HSW (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G48HBW (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G48HBB (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G48HSW-L (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G48HBW-L (xxx=435-475, in steps of 5, 96 cells)
GHxxxG12RT-G48HBB-L (xxx=435-475, in steps of 5, 96 cells)
xxx represents output power in Wp

Remarks:
- Test performed with Test Method 6.

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.